

L5 ANSWER 1 OF 1 ZCA COPYRIGHT 2007 ACS on STN
 AN 142:280215 ZCA Full-text
 TI Preparation of heteroaryl-substituted diarylureas as tyrosine kinase inhibitors
 IN Hoelzemann, Guenter; Ackermann, Karl-August; Staehle, Wolfgang; Jonczyk, Alfred; Rautenberg, Wilfried; Mitjans, Francesc; Rosell-Vives, Elisabet; Adan, Jaume; Soler, Marta; Crassier, Helene
 PA Merck Patent G.m.b.H., Germany
 SO PCT Int. Appl., 72 pp.
 CODEN: PIXXD2
 DT Patent
 LA German
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	WO 2005019192	A1	20050303	WO 2004-EP7224	20040702 <--
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	DE 10334663	A1	20050310	DE 2003-10334663	20030730
	AU 2004266781	A1	20050303	AU 2004-266781	20040702
	CA 2533963	A1	20050303	CA 2004-2533963	20040702
	EP 1651626	A1	20060503	EP 2004-763077	20040702
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
	JP 2007500136	T	20070111	JP 2006-521413	20040702
	US 2006241301	A1	20061026	US 2006-566351	20060130
PRAI	DE 2003-10334663	A	20030730		
	WO 2004-EP7224	W	20040702		

AB Twenty-eight title compds. were claimed. Thus, 5-(4-aminophenoxy)benzo-1,2,5-thiadiazole (preparation given), 2-fluoro-5-trifluoromethylphenyl isocyanate, and Et₃N were stirred in CH₂Cl₂ to give 1[4-(benzo-1,2,5-thiadiazol-5-yloxy)phenyl]-3-(2-fluoro-5-trifluoromethylphenyl)urea as the trifluoroacetate. The latter inhibited TIE-2 and RAF kinase with IC₅₀ = 57 nM and 220 nM, resp.

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT